

## IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A shaving head ~~having a body~~ for cutting hairs while ~~moving~~  
~~being moved with a first speed~~ in a cutting direction, the shaving head comprising:

a body;

one or more cutting blades attached to a middle portion of the body, each of  
said one or more cutting blades having a corresponding cutting edges ~~attached to a middle~~  
~~portion of the body~~edge;

a device for stretching skin, the device being attached to the body behind said  
one or more cutting blades relative to the cutting direction;

a guard arranged in front of said one or more cutting blade relative to said  
cutting direction; and

a handle attached to the body at a location of a pivot axis for ~~exerting~~  
enabling a user to exert pressure on the body, the location of the pivot axis resulting in  
~~defining a force component resulting from~~ of the pressure exerted on the body being  
distributed equally between the device for stretching skin and the guard.

2. (Currently Amended) The shaving head ~~according to~~ as claimed in claim 1, wherein  
said shaving head further ~~comprising~~ comprises at least one spring element for attaching  
said handle to the body at the location of the pivot axis.

3. (Canceled)

4. (Currently Amended) The shaving head ~~according to~~ as claimed in claim 1, wherein said guard is adapted to perform a hair erecting function.

5. (Currently Amended) The shaving head ~~according to~~ as claimed in claim 1, wherein said guard is adapted to perform a lubricating function.

6. (Currently Amended) The shaving head ~~according to~~ as claimed in claim 1, wherein said guard comprises at least one strip arranged parallel to said one or more cutting blades.

7-9. (Canceled)

10. (Currently Amended) The shaving head ~~according to~~ as claimed in claim 1, wherein said device for stretching skin comprises at least one roller.

11. (Currently Amended) The shaving head ~~according to~~ as claimed in claim 10, wherein a direction of rotation of said roller corresponds to said cutting direction.

12. (Currently Amended) The shaving head ~~according to~~ as claimed in claim 10, wherein said at least one roller is driven ~~with a second~~ in the cutting direction at a rotational speed

that is ~~higher than a first rotational speed resulting from the first speed~~greater than a speed at which a user moves the shaving head in said cutting direction.

13. (Currently Amended) The shaving head ~~according to~~as claimed in claim 11, wherein  
said shaving head further comprising comprises a motor coupled to the device for  
stretching skin for driving the roller in the cutting direction.

14. (Currently Amended) The shaving head ~~according to~~as claimed in claim 13, wherein  
said motor is attached to the body.

15. (Currently Amended) The shaving head ~~according to~~as claimed in claim 13, wherein  
said motor is attached to said handle.

16. (Currently Amended) The shaving head ~~according to~~as claimed in claim 15, wherein  
said shaving head further comprising comprises a coupling to couple said device for  
stretching skin to said motor.

17. (Canceled).

18. (Canceled)

19. (Currently amended) A shaving head ~~having a body for cutting hairs while moving~~  
~~with a first speed~~being moved in a cutting direction, the shaving head comprising:

a body;

one or more cutting blades attached to a middle portion of the body, each of  
said one or more cutting blades having a corresponding cutting edge~~attached to a middle~~  
~~portion of the body~~edge;

a roller for stretching skin, said roller being coupled to the body behind said  
cutting blades relative to the cutting direction;

a guard coupled to the body and arranged in front of said cutting blade  
relative to said cutting direction;

a motor coupled to the roller for driving the roller in the cutting direction with a  
~~second rotational speed that is higher than a first rotational speed resulting from the first~~  
~~speed~~that a user moves the shaving head in the cutting direction; and

a handle attached to the body at a location of a pivot axis for exerting  
enabling a user to exert pressure on the body, the location of the pivot axis resulting in  
~~defining a force component resulting from~~of the pressure exerted on the body being  
distributed equally between the ~~device~~roller and the guard.

20. (Withdrawn) The shaving head according to claim 1, wherein the handle is attached  
to the body with at least one snap-in hook for snapping onto one or more respective  
bridges provided on the handle.

21. (Withdrawn) The shaving head according to claim 19, wherein the handle is attached to the body with at least one snap-in hook for snapping onto one or more respective bridges provided on the handle.

22. (Currently amended) The shaving head ~~according to~~ as claimed in claim 19, wherein the location ~~and of the~~ of the pivot axis ~~are~~ is offset from the one or more cutting edges.